

Publication requirements according to Art. 29 and 30 of Regulation (EU) 2017/460 (Network Code Tariffs)

date: 29.05.2024

TAR NC	Description	Information or Link																														
<b>Information to be published before the annual yearly capacity auction for tariff period 2025</b>																																
Art. 29 a)	Information for standard capacity products for firm capacity (reserve prices, multipliers, seasonal factors, etc.)	<p><a href="#">Link to the OGE price schemes for capacity sales in the market area Trading Hub Europe</a></p> <p>For the justification of the level of multipliers, OGE refers to the Federal Network Agency's (German: Bundesnetzagentur [BNetzA]) Decision BK9-23/612 (<a href="#">Decision 'MARGIT 2025'</a>). MARGIT 2025 is currently only available in German language.</p>																														
Art. 29 b)	Information for standard capacity products for interruptible capacity (reserve prices and an assessment of the probability of interruption)	<p><a href="#">Link to the OGE price schemes for capacity sales in the market area Trading Hub Europe</a></p> <p>The BNetzA determined the discounts for interruptible capacity at interconnection points in its decision BK9-23/612 (<a href="#">Decision 'MARGIT 2025'</a>) Annex I. The methodology to calculate these discounts is described in chapter 6 of the decision MARGIT 2025. The <a href="#">data to calculate the discounts</a> have been published during the consultation of decision MARGIT.</p> <p>The methodology to calculate discounts for interruptible capacity of storage points is specified in the decision of the BNetzA BK9-18/608 (<a href="#">Decision 'BEATE 2.0'</a>, chapter 3.2). The probability of interruption <i>Pro</i> according to decision BK9-18/608 (Decision 'BEATE 2.0') is derived from the data of the last three gas business years of the respective entry and exit point according to the following formula:</p> $Pro = \frac{\sum_{t=1}^j [(K)_u]_t}{\sum_{t=1}^j [(K)_v]_t} + S\%.$ <p><math>(K)_u</math> describes the maximum interrupted interruptible capacity on day <i>t</i>, <math>(K)_v</math> describes the interruptible capacity marketed on day <i>t</i> and S the safety margin, which represents the forecast uncertainty. The probability of interruption is rounded up to full percentage. The applicable discount corresponds to the probability of interruption and is independent of the product duration.</p> <p>The safety margin for interconnection points is 10% according to decision BK9-23/612 (MARGIT 2025). According to decision BK9-18/608, the safety margin is S=10% for non- interconnection points. In its decision BK9-20/608 (<a href="#">Decision 'BEATE 2.0'</a>, only available in German), BNetzA has set the safety margin at non-interconnection points in the H-gas network at S=20% from 01/10/2021. However, in May 2024, procedure BK9-24/608 was initiated to repeal BK9-20/608 in order align the safety margin with resolution BK9-23/612. Therefore a safety margin of 10% is also applied for all non-interconnection points.</p> <p>The data to calculate the discount (sales and interruption of interruptible capacity) can be obtained at the ENTSO-G transparency platform. In the last three gas business years, interruptions occurred at the following storage points, leading to a discount of more than the safety margin.</p> <table border="1"> <thead> <tr> <th>Storage point</th> <th>Direction</th> <th><math>\sum_{t=1}^j [(K)_u]_t</math></th> <th><math>\sum_{t=1}^j [(K)_v]_t</math></th> <th>Discount from 01/01/2025</th> </tr> </thead> <tbody> <tr> <td>Etzel (Speicher ESE), Bitzenlander Weg 3</td> <td>Entry</td> <td>4,957,929</td> <td>440,607,389</td> <td>12%</td> </tr> <tr> <td>Friedburg-Etzel, Schienenstrang, EGL</td> <td>Entry</td> <td>1,426,433</td> <td>204,068,896</td> <td>11 %</td> </tr> <tr> <td>Speicher Epe H</td> <td>Entry</td> <td>1,505,754</td> <td>837,590,157</td> <td>11 %</td> </tr> <tr> <td>Haiming 2 7F</td> <td>Exit</td> <td>1,790,475</td> <td>47,447,257</td> <td>14 %</td> </tr> <tr> <td>Speicher Bierwang</td> <td>Exit</td> <td>181,223</td> <td>20,087,875</td> <td>11 %</td> </tr> </tbody> </table>	Storage point	Direction	$\sum_{t=1}^j [(K)_u]_t$	$\sum_{t=1}^j [(K)_v]_t$	Discount from 01/01/2025	Etzel (Speicher ESE), Bitzenlander Weg 3	Entry	4,957,929	440,607,389	12%	Friedburg-Etzel, Schienenstrang, EGL	Entry	1,426,433	204,068,896	11 %	Speicher Epe H	Entry	1,505,754	837,590,157	11 %	Haiming 2 7F	Exit	1,790,475	47,447,257	14 %	Speicher Bierwang	Exit	181,223	20,087,875	11 %
Storage point	Direction	$\sum_{t=1}^j [(K)_u]_t$	$\sum_{t=1}^j [(K)_v]_t$	Discount from 01/01/2025																												
Etzel (Speicher ESE), Bitzenlander Weg 3	Entry	4,957,929	440,607,389	12%																												
Friedburg-Etzel, Schienenstrang, EGL	Entry	1,426,433	204,068,896	11 %																												
Speicher Epe H	Entry	1,505,754	837,590,157	11 %																												
Haiming 2 7F	Exit	1,790,475	47,447,257	14 %																												
Speicher Bierwang	Exit	181,223	20,087,875	11 %																												

TAR NC	Description	Information or Link					
			Speicher Breitbrunn	Exit	874,581	26,470,397	14 %
			Speicher Haiming 3-Haidach	Exit	848,714	25,685,056	14 %
<b>Information to be published before the tariff period for 2024</b>							
Art. 30 (1) a)	Information on parameters used in the applied reference price methodology related to the technical characteristics of the transmission system	All used input parameters (i.e. forecasted contracted capacity) are included in the <a href="#">simplified model</a>					
Art. 30 (1) a) i)	technical capacity at entry and exit points and associated points	This parameter is not used in the postage stamp reference price methodology. Consequently, the publication is neither possible nor necessary.					
Art. 30 (1) a) ii)	forecasted contracted capacity at entry and exit points and associated points	<p>Forecasted booked capacities at entry points in the market area of Trading Hub Europe: 183,979,724 kWh/h</p> <p>Forecasted booked capacities at exit points in the market area of Trading Hub Europe: 360,919,831 kWh/h</p> <p>Underlying capacity structure</p> <p>Network fees are calculated on the basis of a forecast of the capacities booked in calendar year 2024 using the method described below, with a distinction being made between the following groups of handover points:</p> <p>A) Border interconnection points as well as storage and network connection points:</p> <p>The precise forecast of the booking quantities for each point and direction (including the distribution to the different capacity products and contract periods) was based on various input parameters (e.g. transport bookings and allocations of the last three years) using time series analyses and in consideration of current developments.</p> <p>B) Virtual Interconnection Points (VIP)</p> <p>The determination of the capacity forecast and the revenue distribution are based on the rules of Art. 22 NC TAR.</p> <p>C) Internal orders:</p> <p>The capacity framework for outgoing zones and interconnection points to downstream network operators is based on the internal orders for the calendar year 2023 available at OGE as of the reference date 11.05.2023, taking into account the regression results for the internal order for the year 2024, as well as developments in the capacity requirements of the downstream network operators already known to OGE.</p>					
Art. 30 (1) a) iii)	the quantity and the direction of the gas flow for entry and exit points and associated assumptions, such as demand and supply scenarios for the gas flow under peak conditions	This parameter is not used in the postage stamp reference price methodology. Consequently, the publication is neither possible nor necessary.					
Art. 30 (1) a) iv)	the structural representation of the transmission network with an appropriate level of detail	This parameter is not used in the postage stamp reference price methodology. Consequently, the publication is neither possible nor necessary.					

TAR NC	Description	Information or Link
Art. 30 (1) a) v)	technical information about the transmission network, such as the length and the diameter of pipelines and the power of compressor stations	This parameter is not used in the postage stamp reference price methodology. Consequently, the publication is neither possible nor necessary.
Art. 30 (1) b) i)	Information on the allowed and/or target revenue	The forecasted allowed revenues of OGE in 2024 are: 1,262,577,747 € in Trading Hub Europe market area
Art. 30 (1) b) ii)	Information related to changes in the revenue	Revenue cap forecast 2023 as included in tariffs (25.11.2022): 1,445,485,304 € in Trading Hub Europe market area  Revenue cap forecast 2024 as included in tariffs (25.05.2023): 1,262,577,747 € in Trading Hub Europe market area  Change: -182,907,557 € in Trading Hub Europe market area Change in revenue cap (2024 vs. 2023) is mainly related due to lower volatile costs (in particular driving energy) as a result of the geopolitical situation and the impact on the European energy market.
Art. 30 (1) b) iii) (1)	Information related the following parameters: types of assets	Regulated asset base 3,808,177,141 € in Trading Hub Europe market area  Regulated asset base in cost base for the third regulatory period (base year 2020); does not include assets for investment measures according to § 23 Ordinance on Incentive Regulation (ARegV), which are approved for a period after 2022 and assets which are covered by the CCA according to § 10a ARegV  Incl. share of pipeline companies and leased pipelines.
Art. 30 (1) b) iii) (2)	costs of capital and its calculation methodology	Cost of capital of the cost base year 2020: 300,579,649 € in Trading Hub Europe market area  Cost of capital is calculated according to § 6-8 Ordinance on Gas Network Tariffs (GasNEV) for the base year 2020. Cost of capital includes the share of pipeline companies and leased pipelines.

TAR NC	Description	Information or Link
Art. 30 (1) b) iii) (3)	<p>a) methodologies to determine the initial value of assets</p> <p>b) methodologies to re-evaluate the assets</p> <p>c) explanations of the evolution of the value of the assets</p> <p>d) depreciation periods and amounts per asset type</p>	<p>a) The capital expenditures are determined on the basis of the historical procurement and manufacturing costs of the asset as evaluated according to German Accounting Principles (HGB).</p> <p>b) According to GasNEV, there is no re-evaluation of assets foreseen that are capitalized from 2006 onwards. Older Investments are partially considered at replacement values according to § 6a GasNEV.</p> <p>c) There is a linear depreciation of the regulated asset base lied out in § 6 GasNEV</p> <p>d) Depreciation period and values for asset types for existing assets valued in base year 2020:</p> <ul style="list-style-type: none"> <li>I. General assets: 3-70 years (no depreciation for land); 28,611,359 €</li> <li>II. Gas container: 45-55 years; 0 €</li> <li>III. Compressor stations: 20-60 years; 51,858,065 €</li> <li>IV. Pipelines: 30-65 years; 88,381,006 €</li> <li>V. M+R stations: 8-60 years; 8,676,745 €</li> <li>VI. Remote control systems: 15-20 years; 3,019,531 €</li> </ul> <p><b>Sum: 180,546,706 €</b></p> <p>Depreciation included in the cost base for the fourth regulatory period (base year 2020); does not include assets for investment measures according to § 23 Ordinance on Incentive Regulation (ARegV), which are approved for a period after 2022 and assets which are covered by the CCA according to § 10a ARegV.</p> <p>Incl. share of pipeline companies and leased pipelines.</p>
Art. 30 (1) b) iii) (4)	operational expenditures	854,635,615 € in Trading Hub Europe market area
Art. 30 (1) b) iii) (5)	incentive mechanisms and efficiency targets	<p>German transmission system operators are subject to the incentive regulation system. The revenue cap of a transmission system operator (TSO) that is determined for a regulatory period with a duration of 5 years is based on the costs incurred at the TSO in the base year (year 3 before the new regulatory period) and that were checked by the regulatory authority. Moreover, an efficiency benchmark is conducted between the TSO and, based on their cost and structure parameters, individual company efficiency values are calculated. Possible inefficiencies are to be rectified over the duration of a regulatory period. Furthermore, the regulatory authority calculates a general sector productivity factor that is consistently applied to all transmission system operators.</p> <p>The general sector productivity factor for the third regulatory period is 0.49%. Since the BNetzA has not yet determined a final value for the fourth regulatory period, the general sector productivity factor from the third regulatory period was used initially.</p> <p>The individual efficiency score of OGE is 100% for the fourth regulatory period.</p>
Art. 30 (1) b) iii) (6)	Inflation indices	<p>110.2 (+7.1 vs. prior year)</p> <p>(CPI of 2022, § 8 ARegV)</p>
Art. 30 (1) b) iv)	the transmission services revenue	The forecasted revenue from transmission services in 2024 amounts to 1,055,016,732 €.

TAR NC	Description	Information or Link
Art. 30 (1) b) v)	the following ratios for the revenue referred to in point: (1) capacity commodity split (2) entry-exit split (3) cross-border-domestic split	<p>(1) OGE offers capacity-based tariffs only. Consequently, the share of capacity-based tariffs is 100%.</p> <p>(2) Entry-Exit-Split 33.8 % Entry 66.2 % Exit</p> <p>(3) Cross-border-domestic split in entry-exit system: 86.35 % domestic usage (2,399,738,890 €) 13.65 % cross-border usage (379,248,843 €).</p> <p>In conjunction with Art. 26 NC TAR consultation, the cost allocation test was carried out by the BNetzA. The test results, including an assessment, are published on the website of the Federal Network Agency via REGENT for the market area Trading Hub Europe (<a href="#">BK9-19/610</a>) entry-exit system.</p>
Art. 30 (1) b) vi)	Information related to the previous tariff period regarding the reconciliation of the regulatory account	<p>(1) Actual regulated revenues obtained of 2022: 1,251,155,734 €</p> <ul style="list-style-type: none"> <li>- thereof transmission service: 1,049,503,341 €</li> <li>- thereof non-transmission service: 201,652,393 €</li> </ul> <p>Aggregated balance of the regulatory account of the closed financial year 2022: -43,682,219 € (shortfall revenues) Total balance of the regulatory account (net value) until 31.12.2022: +45,020,981 € (excess revenues)</p> <p>(2) Reconciliation of the regulatory account for the concluded business year 2022 will be determined as of 31.12.2023 and it will be reconciled in equal instalments – including interest payments – over the three calendar years. The reconciliation begins the year after next after the application was submitted. Incentive mechanisms specifically for the regulatory account do not exist in the German regulatory system.</p>
Art. 30 (1) b) vii)	Information on the intended use of the auction premium	<p>Auction revenues are booked on the regulatory account in accordance with Article 5 ARegV. This transaction thus develops a tariff-reducing effect in the years in which the regulatory account is reconciled.</p> <p>In accordance with the explanations of the BNetzA in the information paper for transmission system operators on the publication of tariffs in accordance with Art. 29, 31 and 32 of Regulation (EU) No. 2017/460 ("NC TAR") of 02.06.2023, the auction premium already achieved for the year 2024 that can be forecast on the basis of a best possible estimate, e.g. on the basis of reliable knowledge from previous annual auctions, are used to reduce the tariff.</p>
Art. 30 (1) c)	Information on transmission and non-transmission tariffs accompanied by the relevant information related to their derivation	As part of the <a href="#">REGENT 2021</a> decision, the Federal Network Agency has decided the application of the reference price methodology postage stamp in the entry-exit system Trading Hub Europe. According to this, the transmission service revenues are to be divided by the forecasted contracted capacities of the entry and exit points of the calendar year.
Art. 30 (1) c) i)	where applied, commodity-based transmission tariffs referred to in Article 4 (3)	OGE does not apply commodity-based transmission tariffs.

TAR NC	Description	Information or Link
Art. 30 (1) c) ii)	where applied, non-transmission tariffs for non-transmission services referred to in Article 4 (4)	<p>According to the decision of the FNA (BK9-17/609 (Festlegung 'INKA')), the non-transmission services are set to metering point operation, metering service, biogas levy according to §20b GasNEV, market area conversion levy according to §19a Abs. 1 EnWG as well as the nomination replacement procedure according to §15 Abs. 3 GasNZV. The non-transmission service fees valid as of 01.01.2024 are published in the <a href="#">price sheets</a> on the website of OGE.</p> <p><u>Biogas levy calculation</u></p> <p>According to article 6 of the <a href="#">REGENT 2021</a> decision, the biogas levy is classified as a system service according to § 20b GasNEV. The calculation of the biogas levy is described there as well as in § 7 of the cooperation agreement between the operators of gas supply networks located in Germany from 12.08.2022. According to this, the nationwide total biogas costs of 2024 amounting to 254.7 million € are divided by the nationwide capacity booked or rather ordered from transmission system operators at network connection points to final consumers and grid connection points to downstream network operators, regardless of multipliers or seasonal factors of the year 2024, amounting to 303,877,893 (kWh/h)/a. This results in a biogas levy of 0.8381 €/(kWh/h)/a.</p> <p><u>Market area conversion levy calculation</u></p> <p>According to article 5 of the <a href="#">REGENT 2021</a> decision, the market area conversion levy is classified as a system service according to § 19a (1) EnWG. The calculation of the market area conversion charge is described there as well as in § 10 of the cooperation agreement between the operators of gas supply networks located in Germany from 12.08.2022. According to this, the nationwide conversion costs of the year 2024 amounting to 203.9 million € are divided by the nationwide capacity booked or rather ordered from transmission system operators at grid connection points to final consumers and grid connection points to downstream grid operators, regardless of multipliers or seasonal factors of the year 2024, amounting to 303,877,893 (kWh/h)/a. This results in a market conversion levy of 0.6711 €/(kWh/h)/a.</p> <p><u>Calculation of fees for metering service and metering point operation</u></p> <p>Fees for metering services and metering point operation are charged at the network connection points for which OGE assumes the relevant market roles. The fee for metering point operation includes the measurement. The fee for metering point operation is determined on the basis of a uniform fee for each bookable point plus a fee for each gas meter assigned to the bookable point. Consequently, the fee for metering point operation is calculated as follows:</p> <p>Fee for metering point operation = fee for bookable point + (fee per gas meter x number of gas meters)</p> <p>The fee per gas meter and the fee per bookable point are given in the appendix of the price sheet valid at 01.01.2024. The multipliers described for capacity booking with a run-time of less than 1 year do not apply to the fees for metering services and metering point operation.</p>
Art. 30 (1) c) iii)	the reference prices and other prices applicable at points other than those referred to in Article 29	<p>The reference prices for exit points of internal orders and network connection points are the same as the postage stamp of the Trading Hub Europe market area. This corresponds to the tariff calculation method which the FNA has determined in the REGENT decision. The reference prices are the result of the sum of forecasted capacity bookings for all entry and exit points as well as the revenue cap and the entry/exit split of the calendar year t. The reference price and other prices can be taken from the current <a href="#">price sheet</a>.</p>
Art. 30 (2) a) i)	Information on transmission tariff changes and trends	<p>The postage stamp of the entry-exit system Trading Hub Europe will decrease by 0.93 €/(kWh/h)/a in 2024 compared to the tariff in 2023. This change is based on regular fee adjustments taking into account changes of the input parameters allowed revenues and forecasts of contracted capacity of the transmission system operators involved. A significant factor that has contributed to this reduction in tariffs is the lower cost of energy for compressor operation compared to the last calculation now that the previously tense situation on energy markets has eased.</p>



TAR NC	Description	Information or Link
Art. 30 (2) a) ii)	The difference in the level of transmission tariffs for the same type of transmission service applicable for the tariff period for which the information is published and for each tariff period within the remainder of the regulatory period	<p><a href="#">Please see Annex</a></p> <p>In order to fulfil the publication requirements, the former approach of the BNetzA (Appendix 5 of REGENT 2021 decision) was continued to forecast the tariffs on an indicative basis. According to this, an increase in the charge would be expected in 2025.</p> <p>It should be noted that the calculations depend on assumptions that are currently very difficult to forecast. Accordingly, the forecast should be interpreted as merely indicative to fulfil the publication requirements. For inflation, the values stated by the BNetzA in the information paper for transmission system operators on the publication of tariffs in accordance with Art. 29, 31 and 32 of Regulation (EU) No. 2017/460 ("NC TAR") of 02.06.2023 were used. Furthermore, an estimate was made for the general sectoral productivity factor according to Section 9 ARegV by updating the value from the third regulatory period, as the BNetzA has not yet determined a final value for the fourth regulatory period.</p> <p>Further assumptions on the development of the forecast capacities and the annual development of the permissible revenues can be made directly by the user in the model.</p>
Art. 30 (2) b)	Information about the used tariff model and an explanation how to calculate the transmission tariffs applicable for the prevailing tariff period	<a href="#">Please see Annex</a>
Art. 30 (3)	Information about the points excluded from the definition of relevant points	The forecasted booked capacity for the points excluded from the definition of relevant points referred to in point 3.2 (1) a) of Annex I to Regulation No 715/2009 is already included in the capacity forecast according to Art. 30 (1) a) ii).